



3DCAD LIMITED

P: 022 306 7505

E: BRAD@3DCAD.CO.NZ

W: 3DCAD.CO.NZ

ANCHOR LIST

CLIENT:	SAMPLE	JOB NO:	T.B.C
PROJECT:	SAMPLE		
DETAILER:	BSW	DATE:	13-Aug-23

Quantity	Description	Length	Grade	Part weight	Total weight	Remark
		(mm)		(kg)	(kg)	
8	EPCON C6 -M20x335GH	335	Steel galvanised	0.0	0.0	
20	EPCON C6 -M20x325GH	325	Steel galvanised	0.0	0.0	
28	M20 Plain Washer - 5.8		5.8	0.0	0.5	
28	M20 Hexagonal Nut - 5.8		5.8	0.1	1.7	
20	EPCON C6 -M10x200GH	200	Steel galvanised	0.0	0.0	
6	EPCON C6 -M10x175GH	175	Steel galvanised	0.0	0.0	
26	M10 Hexagonal Nut - 5.8		5.8	0.0	0.3	
26	M10 Plain Washer - 5.8		5.8	0.0	0.1	

TOTAL QUANTITY	162
TOTAL WEIGHT	2.5 kg



ASSEMBLY CHECK LIST

CLIENT:	SAMPLE	JOB NO:	T.B.C
PROJECT:	SAMPLE		
DETAILER:	BSW	DATE:	13-Aug-23

Mark	Quantity	Description	Assembly length	Assembly weight	Comment	Checked
			(mm)	(kg)		
B3	1	150 PFC	2,830	52.7		
B1	2	150 PFC	1,165	20.5		
B4	1	150 PFC	2,885	52.8		
B5	1	150 PFC	2,885	52.8		
C1	9	152x76x5 RHS	4,175	69.4		
C3	1	152x76x5 RHS	4,185	72.8		
B6	1	180 PFC	4,016	85.0		
B7	1	180 PFC	4,355	90.8		
B8	1	180 PFC	4,431	94.0		
B9	1	180 PFC	4,548	96.1		
B10	1	180 PFC	4,630	97.8		
B11	1	200 PFC	6,119	153.9		
C6	1	200x100x6 RHS	3,075	163.4		
C7	1	200x100x6 RHS	3,192	191.3		
C8	1	200x100x6 RHS	3,075	163.4		
C9	1	200x100x6 RHS	3,192	191.3		
B2	2	250 PFC	3,230	106.2		
C10	1	250 PFC	3,306	215.1		
C11	1	250 PFC	3,306	215.1		
B12	1	380 PFC	7,780	435.6		
C2	2	89x89x6.0 SHS	3,040	58.0		
C12	1	89x89x6.0 SHS	4,205	76.1		

Mark	Quantity	Description	Assembly length	Assembly weight	Comment	Checked
			(mm)	(kg)		
C13	1	89x89x6.0 SHS	4,185	74.6		
Total weight:				3,568.8		



3DCAD LIMITED

P: 022 306 7505

E: BRAD@3DCAD.CO.NZ

W: 3DCAD.CO.NZ

ASSEMBLY PAINT AREA

CLIENT:	SAMPLE	JOB No:	T.B.C
PROJECT:	SAMPLE		
DETAILER:	BSW	DATE:	13-Aug-23

Quantity	Mark	Description	Coating	Length	Part weight	Total weight	Part surface	Total surface
				(mm)	(kg)	(kg)	(m ²)	(m ²)
2	B1	150 PFC	Coating as	1,165				
2	M3	150 PFC		1,165	20.6	41.2	0.68	1.35
TOTAL						41.2		1.35
2	B2	250 PFC	Coating as	3,230				
2	M6	250 PFC		2,770	98.3	196.7	2.31	4.62
4	F6	80 x 430 16 PL		430	4.3	17.3	0.09	0.34
TOTAL						214.0		4.96
1	B3	150 PFC	Coating as	2,830				
1	M12	150 PFC		2,830	50.1	50.1	1.64	1.64
1	F9	90 x 150 10 PL		150	1.1	1.1	0.03	0.03
1	F31	69 x 129 10 PL		129	0.7	0.7	0.02	0.02
2	F23	69 x 129 8 PL		129	0.6	1.1	0.02	0.04
TOTAL						52.9		1.73
1	B4	150 PFC	Coating as	2,885				
1	M10	150 PFC		2,885	51.1	51.1	1.67	1.67
2	F14	80 x 150 6 PL		150	0.6	1.1	0.03	0.05
2	F12	69 x 129 6 PL		129	0.4	0.8	0.02	0.04
TOTAL						53.0		1.76
1	B5	150 PFC	Coating as	2,885				
1	M11	150 PFC		2,885	51.1	51.1	1.67	1.67
2	F14	80 x 150 6 PL		150	0.6	1.1	0.03	0.05
2	F12	69 x 129 6 PL		129	0.4	0.8	0.02	0.04
TOTAL						53.0		1.76

Quantity	Mark	Description	Coating	Length	Part weight	Total weight	Part surface	Total surface
				(mm)	(kg)	(kg)	(m²)	(m²)
1	B6	180 PFC	Coating as	4,016				
1	M18	180 PFC		4,016	83.9	83.9	2.56	2.56
2	F7	69 x 156 8 PL		156	0.7	1.3	0.02	0.05
<i>TOTAL</i>						85.3		2.61
1	B7	180 PFC	Coating as	4,355				
1	M17	180 PFC		4,355	91.0	91.0	2.78	2.78
<i>TOTAL</i>						91.0		2.78
1	B8	180 PFC	Coating as	4,431				
1	M16	180 PFC		4,431	92.6	92.6	2.83	2.83
2	F24	69 x 156 10 PL		156	0.8	1.7	0.03	0.05
<i>TOTAL</i>						94.3		2.88
1	B9	180 PFC	Coating as	4,548				
1	M15	180 PFC		4,548	95.1	95.1	2.90	2.90
2	F7	69 x 156 8 PL		156	0.7	1.3	0.02	0.05
<i>TOTAL</i>						96.4		2.95
1	B10	180 PFC	Coating as	4,630				
1	M14	180 PFC		4,630	96.8	96.8	2.95	2.95
2	F7	69 x 156 8 PL		156	0.7	1.3	0.02	0.05
<i>TOTAL</i>						98.1		3.00
1	B11	200 PFC	Coating as	6,119				
1	M19	200 PFC		6,119	140.1	140.1	4.15	4.15
1	F28	90 x 180 10 PL		180	1.3	1.3	0.04	0.04
3	F16	69 x 174 10 PL		174	0.9	2.8	0.03	0.09
9	F5	80 x 151 6 PL		151	0.6	5.1	0.03	0.24
9	F3	69 x 174 6 PL		174	0.6	5.0	0.03	0.24
<i>TOTAL</i>						154.4		4.75

Quantity	Mark	Description	Coating	Length	Part weight	Total weight	Part surface	Total surface
				(mm)	(kg)	(kg)	(m²)	(m²)
1	B12	380 PFC	Coating as	7,780				
1	M20	380 PFC		7,780	429.5	429.5	8.78	8.78
2	F19	180 x 361.5 10 PL		362	4.3	8.6	0.12	0.24
<u>TOTAL</u>						438.0		9.01
9	C1	152x76x5 RHS	Coating as	4,175				
9	M1	152x76x5 RHS		4,081	66.9	602.4	1.78	15.98
9	F1	126 x 152 10 PL		152	1.5	13.5	0.04	0.39
9	F32	78 x 151 6 PL		151	0.6	5.0	0.03	0.24
9	F4	68 x 144 6 PL		144	0.5	4.2	0.02	0.20
<u>TOTAL</u>						625.0		16.81
2	C2	89x89x6.0 SHS	Coating as	3,040				
2	M9	89x89x6.0 SHS		2,995	44.0	88.1	0.99	1.98
2	F11	250 x 250 20 PL		250	9.8	19.6	0.15	0.29
2	F27	89 x 259 25 PL		259	4.5	9.0	0.06	0.13
<u>TOTAL</u>						116.7		2.39
1	C3	152x76x5 RHS	Coating as	4,185				
1	M13	152x76x5 RHS		4,163	68.3	68.3	1.81	1.81
1	F30	152 x 216 12 PL		216	3.1	3.1	0.07	0.07
1	F1	126 x 152 10 PL		152	1.5	1.5	0.04	0.04
<u>TOTAL</u>						72.9		1.93
1	C6	200x100x6 RHS	Coating as	3,075				
2	M2	200x100x6 RHS		2,895	75.8	151.7	1.66	3.32
1	F22	200 x 400 10 PL		400	6.3	6.3	0.17	0.17
1	F21	192 x 292 10 PL		292	4.4	4.4	0.12	0.12
2	F13	70 x 160 6 PL		160	0.5	1.1	0.03	0.05
<u>TOTAL</u>						163.4		3.67

Quantity	Mark	Description	Coating	Length	Part weight	Total weight	Part surface	Total surface
				(mm)	(kg)	(kg)	(m²)	(m²)
1	C7	200x100x6 RHS	Coating as	3,192				
1	M4	200x100x6 RHS		2,889	75.7	75.7	1.66	1.66
1	M8	250 PFC		2,479	88.0	88.0	2.07	2.07
1	F20	180 x 400 20 PL		400	11.3	11.3	0.17	0.17
1	F6	80 x 430 16 PL		430	4.3	4.3	0.09	0.09
1	F10	150 x 175 16 PL		175	3.3	3.3	0.06	0.06
1	F8	86 x 234 16 PL		234	2.5	2.5	0.05	0.05
1	F15	82 x 218 16 PL		218	2.2	2.2	0.04	0.04
1	F29	92 x 192 16 PL		192	2.2	2.2	0.04	0.04
1	F25	82 x 218 10 PL		218	1.4	1.4	0.04	0.04
1	F9	90 x 150 10 PL		150	1.1	1.1	0.03	0.03
<i>TOTAL</i>						192.1		4.25
1	C8	200x100x6 RHS	Coating as	3,075				
2	M2	200x100x6 RHS		2,895	75.8	151.7	1.66	3.32
1	F22	200 x 400 10 PL		400	6.3	6.3	0.17	0.17
1	F21	192 x 292 10 PL		292	4.4	4.4	0.12	0.12
2	F13	70 x 160 6 PL		160	0.5	1.1	0.03	0.05
<i>TOTAL</i>						163.4		3.67

Quantity	Mark	Description	Coating	Length	Part weight	Total weight	Part surface	Total surface
				(mm)	(kg)	(kg)	(m²)	(m²)
1	C9	200x100x6 RHS	Coating as	3,192				
1	M4	200x100x6 RHS		2,889	75.7	75.7	1.66	1.66
1	M7	250 PFC		2,479	88.0	88.0	2.07	2.07
1	F20	180 x 400 20 PL		400	11.3	11.3	0.17	0.17
1	F6	80 x 430 16 PL		430	4.3	4.3	0.09	0.09
1	F10	150 x 175 16 PL		175	3.3	3.3	0.06	0.06
1	F8	86 x 234 16 PL		234	2.5	2.5	0.05	0.05
1	F15	82 x 218 16 PL		218	2.2	2.2	0.04	0.04
1	F29	92 x 192 16 PL		192	2.2	2.2	0.04	0.04
1	F25	82 x 218 10 PL		218	1.4	1.4	0.04	0.04
1	F9	90 x 150 10 PL		150	1.1	1.1	0.03	0.03
<u>TOTAL</u>						192.1		4.25
1	C10	250 PFC	Coating as	3,306				
1	M5	250 PFC		3,020	107.2	107.2	2.52	2.52
1	M7	250 PFC		2,479	88.0	88.0	2.07	2.07
1	F17	110 x 270 20 PL		270	4.7	4.7	0.07	0.07
1	F6	80 x 430 16 PL		430	4.3	4.3	0.09	0.09
1	F10	150 x 175 16 PL		175	3.3	3.3	0.06	0.06
1	F18	172 x 234 10 PL		234	2.8	2.8	0.08	0.08
1	F8	86 x 234 16 PL		234	2.5	2.5	0.05	0.05
1	F15	82 x 218 16 PL		218	2.2	2.2	0.04	0.04
1	F9	90 x 150 10 PL		150	1.1	1.1	0.03	0.03
<u>TOTAL</u>						216.1		5.01

Quantity	Mark	Description	Coating	Length	Part weight	Total weight	Part surface	Total surface
				(mm)	(kg)	(kg)	(m²)	(m²)
1	C11	250 PFC	Coating as	3,306				
1	M5	250 PFC		3,020	107.2	107.2	2.52	2.52
1	M8	250 PFC		2,479	88.0	88.0	2.07	2.07
1	F17	110 x 270 20 PL		270	4.7	4.7	0.07	0.07
1	F6	80 x 430 16 PL		430	4.3	4.3	0.09	0.09
1	F10	150 x 175 16 PL		175	3.3	3.3	0.06	0.06
1	F18	172 x 234 10 PL		234	2.8	2.8	0.08	0.08
1	F8	86 x 234 16 PL		234	2.5	2.5	0.05	0.05
1	F15	82 x 218 16 PL		218	2.2	2.2	0.04	0.04
1	F9	90 x 150 10 PL		150	1.1	1.1	0.03	0.03
<u>TOTAL</u>						216.1		5.01

1	C12	89x89x6.0 SHS	Coating as	4,205				
1	M21	89x89x6.0 SHS		4,160	61.2	61.2	1.37	1.37
1	F11	250 x 250 20 PL		250	9.8	9.8	0.15	0.15
1	F26	89 x 244 25 PL		244	4.3	4.3	0.06	0.06
1	F28	90 x 180 10 PL		180	1.3	1.3	0.04	0.04
<u>TOTAL</u>						76.5		1.62

1	C13	89x89x6.0 SHS	Coating as	4,185				
1	M22	89x89x6.0 SHS		4,140	60.9	60.9	1.37	1.37
1	F11	250 x 250 20 PL		250	9.8	9.8	0.15	0.15
1	F26	89 x 244 25 PL		244	4.3	4.3	0.06	0.06
<u>TOTAL</u>						74.9		1.57

TOTAL QUANTITY	53
TOTAL WEIGHT	3,580.9
TOTAL PAINT AREA	89.74



3DCAD LIMITED

P: 022 306 7505

E: BRAD@3DCAD.CO.NZ

W: 3DCAD.CO.NZ

BOLTS LIST

CLIENT:	SAMPLE	JOB No:	T.B.C
PROJECT:	SAMPLE		
DETAILER:	BSW	DATE:	13-Aug-23

Quantity	Description	Length	Grade	Material	Part weight	Total weight	Remark
		(mm)			(kg)	(kg)	
24	AS 1252 20 NaW	65	8.8/TB	Galvanised	0.3	8.1	
8	AS 1252 20 NaW	55	8.8/TB	Galvanised	0.3	2.5	
4	AS 1252 16 NaW	70	8.8	Galvanised	0.2	0.7	
4	AS 1252 16 NaW	65	8.8	Galvanised	0.2	0.7	
2	AS 1252 16 NaW	55	8.8	Galvanised	0.2	0.3	
22	AS 1252 16 NaW	45	8.8	Galvanised	0.2	3.7	
26	AS 1252 12 NaW	35	8.8	Galvanised	0.1	3.5	

TOTAL QUANTITY	90	kg
TOTAL WEIGHT	19.5	



LOADING CHECK LIST

CLIENT:	SAMPLE	JOB NO:	T.B.C
PROJECT:	SAMPLE		
DETAILER:	BSW	DATE:	13-Aug-23

Delivery date:		Special instructions:						
Mark	Quantity	Description	Assembly length X	Assembly length Y	Assembly length Z	Assembly weight	Work Shop Checked	Loaded
			(mm)	(mm)	(mm)	(kg)		
B12	1	380 PFC	7,780	380	190	435.6		
B11	1	200 PFC	6,119	280	178	153.9		
B10	1	180 PFC	4,630	180	75	97.8		
B9	1	180 PFC	4,548	180	75	96.1		
B8	1	180 PFC	4,431	180	75	94.0		
B7	1	180 PFC	4,355	180	75	90.8		
C12	1	89x89x6.0 SHS	4,205	334	250	76.1		
C3	1	152x76x5 RHS	4,185	216	152	72.8		
C13	1	89x89x6.0 SHS	4,185	250	325	74.6		
C1	9	152x76x5 RHS	4,175	127	152	69.4		
B6	1	180 PFC	4,016	180	75	85.0		
C10	1	250 PFC	3,306	270	2,735	215.1		
C11	1	250 PFC	3,306	270	2,735	215.1		
B2	2	250 PFC	3,230	266	90	106.2		
C7	1	200x100x6 RHS	3,192	2,725	183	191.3		
C9	1	200x100x6 RHS	3,192	2,725	183	191.3		
C6	1	200x100x6 RHS	3,075	400	200	163.4		
C8	1	200x100x6 RHS	3,075	400	200	163.4		
C2	2	89x89x6.0 SHS	3,040	250	340	58.0		
B4	1	150 PFC	2,885	155	150	52.8		

Mark	Quantity	Description	Assembly length X	Assembly length Y	Assembly length Z	Assembly weight	Work Shop Checked	Loaded
			(mm)	(mm)	(mm)	(kg)		
B5	1	150 PFC	2,885	155	150	52.8		
B3	1	150 PFC	2,830	165	150	52.7		
B1	2	150 PFC	1,165	150	75	20.5		

Total weight: 3,568.8



3DCAD LIMITED

P: 022 306 7505

E: BRAD@3DCAD.CO.NZ

W: 3DCAD.CO.NZ

BILL OF MATERIALS

CLIENT:	SAMPLE	JOB No:	T.B.C
PROJECT:	SAMPLE		
DETAILER:	BSW	DATE:	13-Aug-23

Quantity	Part mark	Description	Length (mm)	Grade	Part weight (kg)	Total weight (kg)	Part surface (m2)	Total surface (m2)
----------	-----------	-------------	----------------	-------	---------------------	----------------------	----------------------	-----------------------

152x76x5 RHS

9	M1	152x76x5 RHS	4,081	C350L0	66.9	602.4	1.78	15.98
1	M13	152x76x5 RHS	4,163	C350L0	68.3	68.3	1.81	1.81
10	<u>TOTAL</u>	<u>TOTAL</u>	40,892			670.6		17.79

200x100x6 RHS

4	M2	200x100x6 RHS	2,895	C350L0	75.8	303.4	1.66	6.65
2	M4	200x100x6 RHS	2,889	C350L0	75.7	151.4	1.66	3.32
6	<u>TOTAL</u>	<u>TOTAL</u>	17,358			454.8		9.96

150 PFC

2	M3	150 PFC	1,165	300+	20.6	41.2	0.68	1.35
1	M10	150 PFC	2,885	300+	51.1	51.1	1.67	1.67
1	M11	150 PFC	2,885	300+	51.1	51.1	1.67	1.67
1	M12	150 PFC	2,830	300+	50.1	50.1	1.64	1.64
5	<u>TOTAL</u>	<u>TOTAL</u>	10,930			193.5		6.33

250 PFC

2	M5	250 PFC	3,020	300+	107.2	214.4	2.52	5.04
2	M6	250 PFC	2,770	300+	98.3	196.7	2.31	4.62
2	M7	250 PFC	2,479	300+	88.0	176.0	2.07	4.13
2	M8	250 PFC	2,479	300+	88.0	176.0	2.07	4.13
8	<u>TOTAL</u>	<u>TOTAL</u>	21,496			763.1		17.92

89x89x6.0 SHS

2	M9	89x89x6.0 SHS	2,995	C350L0	44.0	88.1	0.99	1.98
---	----	---------------	-------	--------	------	------	------	------

Quantity	Part mark	Description	Length	Grade	Part weight	Total weight	Part surface	Total surface
			(mm)		(kg)	(kg)	(m2)	(m2)
1	M21	89x89x6.0 SHS	4,160	C350L0	61.2	61.2	1.37	1.37
1	M22	89x89x6.0 SHS	4,140	C350L0	60.9	60.9	1.37	1.37
4	<u>TOTAL</u>	<u>TOTAL</u>	14,290			210.1		4.72

180 PFC

1	M14	180 PFC	4,630	300+	96.8	96.8	2.95	2.95
1	M15	180 PFC	4,548	300+	95.1	95.1	2.90	2.90
1	M16	180 PFC	4,431	300+	92.6	92.6	2.83	2.83
1	M17	180 PFC	4,355	300+	91.0	91.0	2.78	2.78
1	M18	180 PFC	4,016	300+	83.9	83.9	2.56	2.56
5	<u>TOTAL</u>	<u>TOTAL</u>	21,981			459.4		14.02

200 PFC

1	M19	200 PFC	6,119	300+	140.1	140.1	4.15	4.15
1	<u>TOTAL</u>	<u>TOTAL</u>	6,119			140.1		4.15

380 PFC

1	M20	380 PFC	7,780	300+	429.5	429.5	8.78	8.78
1	<u>TOTAL</u>	<u>TOTAL</u>	7,780			429.5		8.78

10

10	F1	126 x 152 10 PL	152	300	1.5	15.0	0.04	0.44
5	F9	90 x 150 10 PL	150	300	1.1	5.3	0.03	0.16
3	F16	69 x 174 10 PL	174	300	0.9	2.8	0.03	0.09
2	F18	172 x 234 10 PL	234	300	2.8	5.6	0.08	0.16
2	F19	180 x 361.5 10 PL	362	300	4.3	8.6	0.12	0.24
2	F21	192 x 292 10 PL	292	300	4.4	8.8	0.12	0.24
2	F22	200 x 400 10 PL	400	300	6.3	12.6	0.17	0.34
2	F24	69 x 156 10 PL	156	300	0.8	1.7	0.03	0.05
2	F25	82 x 218 10 PL	218	300	1.4	2.8	0.04	0.08
2	F28	90 x 180 10 PL	180	300	1.3	2.5	0.04	0.08

Quantity	Part mark	Description	Length	Grade	Part weight	Total weight	Part surface	Total surface
			(mm)		(kg)	(kg)	(m2)	(m2)
1	F31	69 x 129 10 PL	129	300	0.7	0.7	0.02	0.02
33	<u>TOTAL</u>	<u>TOTAL</u>				66.3		1.90

6

9	F3	69 x 174 6 PL	174	300	0.6	5.0	0.03	0.24
9	F4	68 x 144 6 PL	144	300	0.5	4.2	0.02	0.20
9	F5	80 x 151 6 PL	151	300	0.6	5.1	0.03	0.24
4	F12	69 x 129 6 PL	129	300	0.4	1.7	0.02	0.08
4	F13	70 x 160 6 PL	160	300	0.5	2.1	0.03	0.10
4	F14	80 x 150 6 PL	150	300	0.6	2.3	0.03	0.11
9	F32	78 x 151 6 PL	151	300	0.6	5.0	0.03	0.24
48	<u>TOTAL</u>	<u>TOTAL</u>				25.3		1.21

16

8	F6	80 x 430 16 PL	430	300	4.3	34.6	0.09	0.68
4	F8	86 x 234 16 PL	234	300	2.5	10.1	0.05	0.20
4	F10	150 x 175 16 PL	175	300	3.3	13.2	0.06	0.25
4	F15	82 x 218 16 PL	218	300	2.2	8.9	0.04	0.18
2	F29	92 x 192 16 PL	192	300	2.2	4.4	0.04	0.09
22	<u>TOTAL</u>	<u>TOTAL</u>				71.2		1.40

8

6	F7	69 x 156 8 PL	156	300	0.7	4.0	0.02	0.15
2	F23	69 x 129 8 PL	129	300	0.6	1.1	0.02	0.04
8	<u>TOTAL</u>	<u>TOTAL</u>				5.1		0.19

20

4	F11	250 x 250 20 PL	250	300	9.8	39.3	0.15	0.58
2	F17	110 x 270 20 PL	270	300	4.7	9.3	0.07	0.15
2	F20	180 x 400 20 PL	400	300	11.3	22.6	0.17	0.33
8	<u>TOTAL</u>	<u>TOTAL</u>				71.2		1.06

Quantity	Part mark	Description	Length	Grade	Part weight	Total weight	Part surface	Total surface
			(mm)		(kg)	(kg)	(m2)	(m2)

25

2	F26	89 x 244 25 PL	244	300	4.3	8.5	0.06	0.12
2	F27	89 x 259 25 PL	259	300	4.5	9.0	0.06	0.13
4	TOTAL	TOTAL				17.6		0.25

12

1	F30	152 x 216 12 PL	216	300	3.1	3.1	0.07	0.07
1	TOTAL	TOTAL				3.1		0.07

TOTAL PAINT AREA	89.74	m2
TOTAL QUANTITY	164	
TOTAL WEIGHT	3,580.9	kg



3DCAD LIMITED

P: 022 306 7505

E: BRAD@3DCAD.CO.NZ

W: 3DCAD.CO.NZ

PLATE LIST

CLIENT:	SAMPLE	JOB No:	T.B.C
PROJECT:	SAMPLE		
DETAILER:	BSW	DATE:	13-Aug-23

Quantity	Part mark	Description	Grade	Part weight	Total weight	Remark
				(kg)	(kg)	
2	F27	89 x 259 25 PL	300	4.5	9.0	
2	F26	89 x 244 25 PL	300	4.3	8.5	
4	F11	250 x 250 20 PL	300	9.8	39.3	
2	F20	180 x 400 20 PL	300	11.3	22.6	
2	F17	110 x 270 20 PL	300	4.7	9.3	
4	F10	150 x 175 16 PL	300	3.3	13.2	
2	F29	92 x 192 16 PL	300	2.2	4.4	
4	F8	86 x 234 16 PL	300	2.5	10.1	
4	F15	82 x 218 16 PL	300	2.2	8.9	
8	F6	80 x 430 16 PL	300	4.3	34.6	
1	F30	152 x 216 12 PL	300	3.1	3.1	
2	F22	200 x 400 10 PL	300	6.3	12.6	
2	F21	192 x 292 10 PL	300	4.4	8.8	
2	F19	180 x 361.5 10 PL	300	4.3	8.6	
2	F18	172 x 234 10 PL	300	2.8	5.6	
10	F1	126 x 152 10 PL	300	1.5	15.0	
2	F28	90 x 180 10 PL	300	1.3	2.5	
5	F9	90 x 150 10 PL	300	1.1	5.3	
2	F25	82 x 218 10 PL	300	1.4	2.8	
3	F16	69 x 174 10 PL	300	0.9	2.8	
2	F24	69 x 156 10 PL	300	0.8	1.7	
1	F31	69 x 129 10 PL	300	0.7	0.7	
6	F7	69 x 156 8 PL	300	0.7	4.0	
2	F23	69 x 129 8 PL	300	0.6	1.1	

Quantity	Part mark	Description	Grade	Part weight	Total weight	Remark
				(kg)	(kg)	
9	F5	80 x 151 6 PL	300	0.6	5.1	
4	F14	80 x 150 6 PL	300	0.6	2.3	
9	F32	78 x 151 6 PL	300	0.6	5.0	
4	F13	70 x 160 6 PL	300	0.5	2.1	
9	F3	69 x 174 6 PL	300	0.6	5.0	
4	F12	69 x 129 6 PL	300	0.4	1.7	
9	F4	68 x 144 6 PL	300	0.5	4.2	

TOTAL QUANTITY	124
TOTAL WEIGHT	259.9

kg



3DCAD LIMITED












P: 022 306 7505

















E: BRAD@3DCAD.CO.NZ














W: 3DCAD.CO.NZ

SAW LIST WITH PICTURE

CLIENT:	SAMPLE	JOB No:	T.B.C
PROJECT:	SAMPLE		
DETAILER:	BSW	DATE:	13-Aug-23

Quantity	Part mark	Description	Saw length (mm)	Grade	Web			Flange		
					Y (Degree) E (mm)		X (Degree) D (mm)	y (Degree) e (mm)		x (Degree) d (mm)
1	M20	380 PFC	7,780	300+	0.00		0.00	0.00		0.00
					0		0	0		0
2	M5	250 PFC	3,020	300+	0.00		0.00	0.00		0.00
					0		0	0		0
2	M6	250 PFC	2,770	300+	0.00		0.00	0.00		0.00
					0		0	0		0
2	M8	250 PFC	2,479	300+	0.00		0.00	0.00		0.00
					0		0	0		0
2	M7	250 PFC	2,479	300+	0.00		0.00	0.00		0.00
					0		0	0		0
4	M2	200x100x6 RHS	2,895	C350L0	0.00		0.00	0.00		0.00
					0		0	0		0

Quantity	Part mark	Description	Saw length (mm)	Grade	Web			Flange		
					Y (Degree)		X (Degree)	y (Degree)		x (Degree)
					E (mm)		D (mm)	e (mm)		d (mm)
2	M4	200x100x6 RHS	2,889	C350L0	0.00		0.00	0.00		0.00
					0		0	0		0
1	M19	200 PFC	6,119	300+	0.00		0.00	0.00		0.00
					0		0	0		0
1	M14	180 PFC	4,630	300+	0.00		0.00	0.00		0.00
					0		0	0		0
1	M15	180 PFC	4,548	300+	0.00		0.00	0.00		0.00
					0		0	0		0
1	M16	180 PFC	4,431	300+	0.00		0.00	0.00		0.00
					0		0	0		0
1	M17	180 PFC	4,355	300+	0.00		0.00	0.00		0.00
					0		0	0		0
1	M18	180 PFC	4,016	300+	0.00		0.00	0.00		0.00
					0		0	0		0
1	M13	152x76x5 RHS	4,163	C350L0	0.00		0.00	0.00		0.00
					0		0	0		0

Quantity	Part mark	Description	Saw length (mm)	Grade	Web			Flange		
					Y (Degree)		X (Degree)	y (Degree)		x (Degree)
					E (mm)		D (mm)	e (mm)		d (mm)
9	M1	152x76x5 RHS	4,081	C350L0	0.00		0.00	0.00		0.00
					0		0	0		0
1	M11	150 PFC	2,885	300+	0.00		0.00	0.00		0.00
					0		0	0		0
1	M10	150 PFC	2,885	300+	0.00		0.00	0.00		0.00
					0		0	0		0
1	M12	150 PFC	2,830	300+	0.00		0.00	0.00		0.00
					0		0	0		0
2	M3	150 PFC	1,165	300+	0.00		0.00	0.00		0.00
					0		0	0		0
1	M21	89x89x6.0 SHS	4,160	C350L0	0.00		0.00	0.00		0.00
					0		0	0		0
1	M22	89x89x6.0 SHS	4,140	C350L0	0.00		0.00	0.00		0.00
					0		0	0		0
2	M9	89x89x6.0 SHS	2,995	C350L0	0.00		0.00	0.00		0.00
					0		0	0		0

Quantity	Part mark	Description	Saw length	Grade	Web			Flange		
					Y (Degree)		X (Degree)	y (Degree)		x (Degree)
			(mm)		E (mm)		D (mm)	e (mm)		d (mm)

TOTAL QUANTITY	40
----------------	----